



Scoring & Timing Solution for Cross Country




1. Introduction

This is a general solution for LED display in Cross Country stadium which has the functions of timing, scoring and displaying advertisement, notification, the information of order, score and result. It is an ideal choice for most of stadiums.

2021, Suzhou Youth Sunshine Sports League



1.1 System Chart



System Description

- 1) Two LED screens are controlled by separate computer which connects with LED sending card.
- 2) One laptop is equipped on the court working as Ultra score terminal special for referees' operation.
- 3) All computers are connected into LAN in stadium.
- 4) Wireless Transmitter (KS-LDWT) connects with the control computer via a USB cable.

2. Specification for products

2.1 Ultra Score Software

Products	Details
Network standard edition	<ul style="list-style-type: none">◆ Terminal + 1 Display◆ Supports: Equestrian (Cross Country)◆ English version◆ Including 1 dongle

Software interface for equestrian

The screenshot shows a software interface for a Cross Country Championship. At the top, it displays "Cross Country" and "Cross Country Championship". Below this, it shows the competitor's rank as "1" with a Chinese flag icon, the name "New Competitor", and the rider's name "Lin Dan". The horse's name is "Zhenzhu". The interface also displays "Jumping Penalties 0", "Time Penalties 0", and "Penalties". The "Time Allowed:" is shown, and the current score is a large yellow "-45.0". Below the score, it says "Current Rank:". At the bottom, there is a table header with columns: Rank, Rider, Horse Name, Team, Time, and Penalties.

Rank	Rider	Horse Name	Team	Time	Penalties
------	-------	------------	------	------	-----------

2.2 Wireless Host

Item	Details
Wireless Host	Type: KS-WH-G Size: 280x200x50 (mm) Communication: 433MHz Wireless Communication distance: 100m Function: ◆ Must be used together with Show Jumping Scoring Software.



2.3 Wireless Photocell

Item	Details
Wireless Photocell	<p>Type: KS-PTCL Size: 180x85x50 (mm) Communication: 433MHz Wireless Function:</p> <ul style="list-style-type: none">◆ Must be used together with Show Jumping Scoring Software.◆ Detect the cut off of the light, and send the wireless signal.◆ Light detect distance 12M.◆ Can be setup as Start, Finish, or the Finish of the 2nd phase easily.




2.4 Reflect Panel

Item	Details
Reflect Panel	Type: KS-PTCL-REFL Size: 90*130*55(mm) Function: ◆ Reflect the light from the photocell.



2.5 Meet Management Server



Products	Details
Meet Management Server	<p>Type: KS-MMS-MINI</p> <p>Size: 260x135x35(mm)</p> <p>Weight: 1.0 KG</p> <p>Features:</p> <ul style="list-style-type: none"> ● Easy to create an match, and import the match entry information. ● Arrangement the match with variants of game systems. Including elimination, round-robin, etc. ● Provide the match information to the scoring software on each venue/court. ● Gather the real time score and statistics information from the scoring software. Monitor the progress of the match. ● Generate standard reports for the match, including start-list, results, combined results, ranking, etc. ● Print certifications with adjustable print templates. ● Print the team score report. ● Open interface with ODF compatible data feed.